



**FOUL SEWER TABLE**

Sewer Ref.	US/CL m	US/IL m	DS/IL m	Length m	Grad 1 in	Dia mm	Cover to US Soffit m	Notes
F1.0	F1.1	45.385	44.760	44.450	31.0	100	0.400	** AJ
F1.1	F1.2	45.385	44.450	44.353	21.8	225	0.710	** IC
F1.2	F1.3	45.385	44.353	44.278	16.8	225	0.807	** IC
F1.3	EXIST	45.385	44.278	44.241	8.3	225	0.882	** IC
F2.0	F2.1	45.385	44.760	44.425	37.5	112	0.400	** AJ
F2.1	F1.3	45.385	44.425	44.278	16.5	112	0.735	** IC
F3.0	F1.2	45.385	44.760	44.620	26.0	186	0.400	** AJ

\*\* DENOTES PIPE RUNS WHICH REQUIRE CONCRETE PROTECTION, BD DENOTES BACKDROP MANHOLE

**PROPOSED FOUL WATER LAYOUT**

SCALE 1:250@A1, 1:500@A3

Issue Register				
No.	Date	Revision	Drawn	Checked/Approved
PL2	25/10/17	PLANNING ISSUE	LMJ	LMJ MPA
PL1	16/10/15	PLANNING ISSUE	LMJ	LMJ MPA

**GENERAL NOTES:-**

- THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS & ENGINEERS DRAWINGS & SPECIFICATIONS.
- DO NOT SCALE. USE FIGURED DIMENSIONS ONLY.
- THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS & ELEVATIONS WITH ARCHITECTURAL DRAWINGS PRIOR TO START OF CONSTRUCTION. ALL DISCREPANCIES TO BE NOTIFIED, IN WRITING TO ENGINEERS & ARCHITECTS FOR RESOLUTION.
- ALL DIMENSIONS ON DRAWINGS ARE IN MILLIMETRES UNLESS OTHERWISE NOTED.

- FOR DETAILS AND SETTING OUT OF RWP, SVP, WVP & ALL OPENINGS SEE THE RELEVANT ARCHITECTS DRAWINGS.
- FOR RADON BARRIER, D.P.C. & INSULATION DETAILS REFER TO ARCHITECTS DRAWINGS.

**DRAWING LEGEND:-**

- DENOTES SITE BOUNDARY
- DENOTES EXTENT OF EXISTING BUILDING RETAINED

- 76.919 DENOTES EXISTING GROUND LEVEL
- FFL +75.922m DENOTES PROPOSED FINISHED FLOOR LEVEL
- DENOTES EXISTING FOUL DRAINAGE
- F1.0 DENOTES PROPOSED FOUL SEWER & INSPECTION CHAMBER/MANHOLE

<p>Martin Peters Associates Consulting Engineers Ormonde Road Kilkenny T: +353 56 7702781 F: +353 56 7702726 E: info@mpa.ie</p>	<b>PLANNING</b>		
	Client	KILKENNY COUNTY COUNCIL	
	Project	DEVELOPMENT AT ST. FRANCIS BREWERY, KILKENNY	
	Drawing Title	PROPOSED FOUL DRAINAGE PLAN	
Project No.	141078	Scale	1:250
Drawing No.	141078/PL/003	Rev	PL2
Drawn	LMJ	Checked	MJP
Date		Date	10/10/17